


VIGORACS SI VERİ TABANINI YEDEKLEYİN

Bu makale [Linux](#) ve [Windows işletim sistemlerinde](#) çalışan VigorACS SI veri tabanının nasıl yedeklendiğini göstermektedir. VigorACS SI yazılımını VigorACS 2 sürümüne yükseltmeden önce yedeklemenizi öneririz.


Linux için

1. `/usr/local/vigoracs/VigorACS/dbutil/BackupRestoreScript/SI/Linux/` dizinine gidin ve `# vi backupconfig_si.txt` yazarak backup config dosyasını açın.



```
Terminal
File Edit View Terminal Go Help
sh-4.2$ cd /usr/local/vigoracs/VigorACS/dbutil/BackupRestoreScript/SI/Linux/
sh-4.2$ ls
automysqlbackup_si.sh backupconfig_si.txt deletetemplate.txt mysqlrestore.sh
sh-4.2$ vi backupconfig_si.txt
```

2. Aşağıdaki konfigürasyonu onaylayın. (Not: Lütfen yedekleme için `/root/temp/mysqlbackups` dizinini oluşturun.)



```
Terminal
File Edit View Terminal Go Help
# Username to access the MySQL server e.g. dbuser
USERNAME=root
# Username to access the MySQL server e.g. password
PASSWORD=
# Host name (or IP address) of MySQL server e.g localhost
DBHOST=localhost
# List of DBNAMES for Daily/Weekly Backup e.g. "DB1 DB2 DB3"
DBNAMES=tr069
# Backup directory location e.g /backups
BACKUPDIR=/root/temp/mysqlbackups/
# Mysql path
MYSQLPATH=/usr/local/mysql/bin/
# Mysql profile ,mysql 4.0 use "",mysql 5.5 use --defaults-file=/usr/local/mysql/my.cnf
MYSQLPROFILE=--defaults-file=/usr/local/mysql/my.cnf
# Backup all tables or part tables( exclude log tables) e.g. (yes or no)
ISBACKUPALL=yes
# After backup delete log tables e.g. (yes or no)
ISDELETELOGTABLE=no
# What time do you delete log tables e.g. 2010-01-01 or ""(exclude "")
DELETELOGTIME=2010-01-01
# Mail setup
# What would you like to be mailed to you?
# - log : send only log file
# - files : send log file and sql files as attachments (see docs)
# - stdout : will simply output the log to the screen if run manually.
# - quiet : Only send logs if an error occurs to the MAILADDR.
MAILCONTENT=stdout
31,0-1 Top
```

- Veri tabanı yedeklemesini başlatmak için **automysqlbackup_si.sh** komutunu çalıştırın.

```

Terminal
File Edit View Terminal Go Help
sh-4.2# ./automysqlbackup_si.sh
=====
AutoMySQLBackup VER 2.5
http://sourceforge.net/projects/automysqlbackup/
Backup of Database Server - localhost
=====
Backup Start Time Mon Dec 30 15:22:49 CST 2013
=====
Now Backup of Database ( tr069 )
Rotating last weeks Backup...

Backup Information for /root/temp/mysqlbackups//now/tr069/tr069_2013-12-30_15h22m.Monday
.sql
      compressed      uncompressed      ratio uncompressed_name
      244535           1569954      84.4% /root/temp/mysqlbackups//now/tr069/tr069_
2013-12-30_15h22m.Monday.sql
=====
Backup End Mon Dec 30 15:22:51 CST 2013
=====
Total disk space used for backup storage..
Size - Location
1.2M /root/temp/mysqlbackups/
=====
If you find AutoMySQLBackup valuable please make a donation at
http://sourceforge.net/project/project_donations.php?group_id=101066
=====
sh-4.2#

```

- Backup dosyasını kontrol edin.


```

Terminal
File Edit View Terminal Go Help
sh-4.2# cd /root/temp/mysqlbackups/
sh-4.2# ls
now
sh-4.2# cd now
sh-4.2# ls
tr069
sh-4.2# cd tr069
sh-4.2# ls
tr069_2013-11-20_14h18m.Wednesday.sql tr069_2013-12-30_15h22m.Monday.sql.gz
tr069_2013-12-27_16h20m.Friday.sql.gz
sh-4.2#

```

Windows için

- “Backupconfig_si_windows.txt” dosyasını açın.



2. Aşağıdaki bilgileri onaylayın.

BACKUPDIR="D:/mysqlbackups/"

Mysql path
MYSQLPATH="C:/Program Files/MariaDB 5.5/bin/"

Mysql profile ,mysql 4.0 use "",mysql 5.5 use --defaults-file=/usr/local/mysql/my.cnf
MYSQLPROFILE=--defaults-file=/usr/local/mysql/my.cnf

Backup all tables or part tables(exclude log tables) e.g. (yes or no)
ISBACKUPALL=yes

After backup delete log tables e.g. (yes or no)
ISDELETELOGTABLE=no

What time do you delete log tables e.g. 2010-01-01 or ""(exclude "")
DELETELOGTIME=2010-01-01

3. Veri tabanı yedeklemesini başlatmak için komut isteminde **automysqlbackup_si.bat** komutunu çalıştırın.

```
C:\WINDOWS\system32\cmd.exe

C:\Program Files\UigorACS SI\dbutil\BackupRestoreScript\SI\Windows>automysqlback
up_si
Please wait . backup in progress...
Backup is success
Press any key to continue . . .

C:\Program Files\UigorACS SI\dbutil\BackupRestoreScript\SI\Windows>
```

4. Backup dosyasını kontrol edin.

