



Hotspot Web Portalı için Google APP oluşturun

DrayTek Hotspot Web Portal sosyal giriş yapmayı destekler. Google API kullanarak, ziyaretçilere geçerli bir Google hesabıyla giriş yaptıktan sonra internet erişimi sağlayabiliriz. Bu belge, bir Google projesi oluşturmayı ve Web Portal kurulumu için gereken APP ID ve APP Secret almayı tanıtır.

	file Setup	
1		
Login Method	Background Login Page Setup Whitelist Setting More Options	
Enable this profile		
Comments.		
Portal Server		
Portal Method	 Skip Login, landing page only Click through 	
	Various Hotspot Login	
	External Portal Server	
Captive Portal URL	https:// v portal.draytek.com	
Login Methods		
Choose Login Method	Login with Facebook Note: When Login with Facebook is selected, the protocol of the Captive Portal URL will be changed to HTTPS.	
	☑ Login with Google	
	Receive PIN via SMS	
	Ingin with RADIUS	
Google		
Google App ID 🥝		

1. https://console.developers.google.com adresine gidin, bir Google hesabı ile giriş yapın ve ardından Project >> Create project.'e tıklayın.







2. Project name yazın, Google'ın Hizmet Şartları'nı kabul ediyorsanız "Yes" i seçin ve ardından CREATE öğesini tıklayın.

		Google+ Domains API		
		Blogger API	YouTul	
	Mobil Googl	CANCEL CREATE	YouTul YouTul	
	Cloud © Mr		douga Admin ⊗ Moi	
	Cloud I agree that my use of any service compliance with the applicable To Cloud () Yes () No	s and related APIs is subject to my erms of Service.	Gmail. Sheets Goodie	
0	Goog Please email me updates regardir suggestions, feedback surveys ar Com Ves No	ig feature announcements, performance id special offers.	Google Drive A Calend	
Popular	APIS Your project ID will be draytek-hots	bot 📀 Edit		
	Project name 🖗 draytek hotspot			
Google AF	New Project			

3. Kontrol paneline gidin ve ENABLE API'ye tıklayın..

=	Google APIs draytek hots	pot 2 💌	۹						ŧ	ø	0	÷	:	•
API	API Manager	Dashboard	ENABLE API											
	Dashboard	Enabled APIs												
***	Library	No APIs are enabled												
0+	Credentials													

4. Social APIs kategorisinden Google+API'yi seçin.







5. Bu proje için ENABLE'a tıklayın.



6. Credentials>> OAuth izin ekranı'na gidin, kullanıcılara gösterilen Product adını girin ve ardından Save'e tıklatın.

≡	Google APIs drayte	k hotspot 👻	٩	ii Ø	0	۰	: 😩	
API	API Manager	Credentials						
٥	Dashboard	Credentials OAuth consent screen Domain verification						
쁐	Library	Email address (2)						
0+	Credentials	creytakwandyğığmal, com 🔹		· 🗸 🏼 🖌				
		Product name shown to users		:* 11	=*			
		draytek hostpot			-~			
		Homepage URL (Optional)			_			
		https:// or http://	The consent scre	en will be sho	own to			
		Product logo URL (Optional)	to their private de ID. It will be show	ata using your on for all	client			
		http://www.example.com/logo.png	applications regi project.	stered in this				
		This is how your logo will look to end users Mex size: 120x120 px	You must provide and product nam work.	e an email ado e for OAuth to	dress o			
		Privacy policy URL Optional until you deploy your app						
		https:// or http://						
		Terms of service URL (Optional)						
		https:// or http://						
<1		Save Cancel						

7. Credentials sekmesine gidin, Create Credentials'a tıklayın, "OAuth client ID " yi seçin.

Credentials 0Aut	n consent screen Domain verification
	API key Identifies your project using a simple API key to check quota and access. For APIs like Google Translate.
×.	OAuth client ID Requests user consent so that your app can access the user's data. For APIs like Google Calendar.
	Service account key Enables server-to-server, app-level authentication using robot accounts. For use with Google Cloud APIs.
	Help me choose Asks a few questions to help you decide which type of credential to use





8. Application Type için Web uygulamasını seçin, Name girin ve Authorized JavaScript kökenlerini aşağıdaki gibi girin.

HTTP için http://portal.draytek.com:8001 veya HTTPS için https://portal.draytek.com:8043 (Hotspot Portalı sayfa yönlendiricisi tarafından kullanılan URL)

Sonra Save'e tıklayın.

webr	?ortal_Google
Restric Enter Ja	tions avaScript origins, redirect URIs, or both
Aut For (htt in t)	horized JavaScript origins use with requests from a browser. This is the origin URI of the client application. It can't contain a wildcard ps://*.example.com) or a path (https://example.com/subdir). If you're using a nonstandard port, you must include it ne origin URI.
ht	tps://portal.draytek.com:8043 ×
ht	tp://portal.draytek.com:8001 ×
h	ttps://www.example.com
Aut For auti Car	horized redirect URIs use with requests from a web server. This is the path in your application that users are redirected to after they have henticated with Google. The path will be appended with the authorization code for access. Must have a protocol. inot contain URL fragments or relative paths. Cannot be a public IP address.
h	ttps://www.example.com/oauth2callback
D ve	Client Secret alın, bu bilgileri Router'in Web Portal kurulumu için kopyalayın.
D ve	Client Secret alın, bu bilgileri Router'in Web Portal kurulumu için kopyalayın. OAuth client
D ve	Client Secret alın, bu bilgileri Router'in Web Portal kurulumu için kopyalayın. OAuth client Here is your client ID Mere is your client secret Tech 2024 Avil: 8,522 for al